

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 01/04/2015 Revision date: Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : ODOUR NEUTRALIZER MB3000

Product code : 801752 Vaporizer : Aerosol : R0260018 SKU#

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Main use category : Professional use Use of the substance/mixture Air care products Odour agents

Uses advised against

No additional information available

Details of the supplier of the safety data sheet 1.3.

Supplier

Newell Europe sàrl Newell Poland Services Sp. z.o.o. 10 chemin de Blandonnet Plac Andersa 7 1214 Vernier - Switzerland 61-894 Poznań - Poland T +44(0)870 5686824 T +44(0)870 5686824 SDS.RCP@newellco.com www.rubbermaid.eu/contact

Emergency telephone number

: +44(0)870 5686824 **Emergency number**

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222:H229 Aquatic Chronic 3 H412

Full text of H-phrases: see section 16

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP) : Danger

Hazard statements (CLP) : H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated H412 - Harmful to aquatic life with long lasting effects

Other

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking P251 - Do not pierce or burn, even after use P273 - Avoid release to the environment

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P501 - Dispose of contents/container to an approved waste disposal plant

EUH208 - Contains HEXYL CINNAMAL, TETRAMETHYL **EUH phrases**

ACETYLOCTAHYDRONAPHTHALENES, 2-(4-tert-butylbenzyl)propionaldehyde (Lilial), CITRONELLOL, HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE. May

produce an allergic reaction

19/05/2015 EN (English) 1/9

Safety Data Sheet

according to Regulation (EC) No. 453/2010

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	10 - 20	Flam. Liq. 2, H225 Eye Irrit. 2, H319
ISOPROPYL ALCOHOL	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
HEXYL CINNAMAL	(CAS No) 101-86-0 (EC no) 202-983-3 (REACH-no) 01-2119533092-50	0,1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	(CAS No) 54464-57-2 (EC no) 259-174-3 915-730-3 (REACH-no) 01-2119489989-04	0,1 - 1	Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1, H317
2-(4-tert-butylbenzyl)propionaldehyde (Lilial)	(CAS No) 80-54-6 (EC no) 201-289-8 (REACH-no) 01-2119485965-18	0,1 - 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361f Aquatic Chronic 2, H411
CITRONELLOL	(CAS No) 106-22-9 (EC no) 203-375-0 (REACH-no) 01-2119453995-23	0,1 - 1	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE	(CAS No) 31906-04-4 (EC no) 250-863-4	0,1 - 1	Skin Sens. 1, H317 Aquatic Chronic 3, H412

Specific concentration limits:

Name	Product identifier	Specific concentration limits	
Alcohol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	(C >= 50) Eye Irrit. 2, H319	

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Cough. Allow breathing of fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

First-aid measures after eye contact : Direct contact with the eyes is likely to be irritating. Rinse immediately with plenty of water.

Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Shortness of breath.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

19/05/2015 EN (English) 2/9

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire

reaches explosives. Evacuate area.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove

ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or

burn, even after use.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapour. Do not spray on an open flame or other ignition source.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight,

Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Alcohol (64-17-5)		
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m³)	1920 mg/m³
United Kingdom	WEL TWA (ppm)	1000 ppm
ISOPROPYL ALCOHOL (67-63-0)		
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m³)	1250 mg/m³
United Kingdom	WEL STEL (ppm)	500 ppm

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

19/05/2015 EN (English) 3/9

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Hand protection : Wear protective gloves

Eye protection : None under normal use

Respiratory protection : None under normal use

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear Transparent Liquid.
Colour : colourless to slightly yellow.

Odour characteristic. Odour threshold : No data available : No data available рΗ Relative evaporation rate (butylacetate=1) No data available No data available Melting point Freezing point : No data available Boiling point : No data available Flash point No data available Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Extremely flammable aerosol

Vapour pressure 3,5 - 4,5 bar Relative vapour density at 20 °C : No data available Relative density : 0,619 - 0,635 Solubility : No data available Log Pow No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available : No data available Explosive properties Oxidising properties : No data available : 1,8 - 19 vol % Explosive limits

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Alcohol (64-17-5)		
LD50 oral rat 7060 mg/kg		
LD50 oral	10470 mg/kg bodyweight	

19/05/2015 EN (English) 4/9

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Alcohol (64-17-5)	
LD50 dermal rabbit	> 16000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99,999 mg/l/4h
ISOPROPYL ALCOHOL (67-63-0)	
LD50 oral rat	2000 mg/kg
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rat	2000 mg/kg
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46,6 mg/l/4h
HEXYL CINNAMAL (101-86-0)	
LD50 oral	> 2450 mg/kg bodyweight
LD50 dermal	> 3000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5 mg/l/4h
2-(4-tert-butylbenzyl)propionaldehyde (Lilial	
LD50 oral rat	1390 mg/kg
LD50 oral	1390 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg bodyweight
CITRONELLOL (106-22-9)	
LD50 oral	3450 mg/kg bodyweight
LD50 dermal	2650 mg/kg bodyweight
HYDROXYISOHEXYL 3-CYCLOHEXENE CAF	RBOXALDEHYDE (31906-04-4)
LD50 oral	> 5000 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
	Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
, -	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
•	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
3	Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
. top roductive toxicity	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
opeoine target organ toxicity (emigre expectato)	Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
ποριτατίστι Παλαία	Based on available data, the classification criteria are not met
ODOUR NEUTRALIZER MB3000	
Vaporizer	Aerosol
'	1,100
Potential adverse human health effects and	: Based on available data, the classification criteria are not met.

ODOUR NEUTRALIZER MB3000		
Vaporizer	Aerosol	
Potential adverse human health effects and	: Based on available data, the classification criteria are not met.	

symptoms

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	275 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	5012 mg/l IC50 algea (72 h) mg/l	

19/05/2015 EN (English) 5/9

Safety Data Sheet

according to Regulation (EC) No. 453/2010

ISOPROPYL ALCOHOL (67-63-0)		
LC50 fish 1	100 mg/l	
EC50 Daphnia 1	100 mg/l	
EC50 other aquatic organisms 1	> 1000 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	13299 mg/l IC50 algea (72 h) mg/l	
HEXYL CINNAMAL (101-86-0)		
LC50 fish 1	1,7 mg/l	
EC50 other aquatic organisms 1	> 0,32 mg/l EC50 waterflea (48 h)	
2-(4-tert-butylbenzyl)propionaldehyde (Lilial) (80-54-6)		
LC50 fish 1	2,2 mg/l	
EC50 other aquatic organisms 2	10,7 mg/l IC50 algea (72 h) mg/l	
CITRONELLOL (106-22-9)		
LC50 fish 1	10 mg/l	
EC50 other aquatic organisms 1	2,38 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	17,48 mg/l IC50 algea (72 h) mg/l	

12.2. Persistence and degradability

ODOUR NEUTRALIZER MB3000		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Alcohol (64-17-5)		
Persistence and degradability	Not established.	

12.3. Bioaccumulative potential

2.3. Bioaccumulative potential				
ODOUR NEUTRALIZER MB3000				
Bioaccumulative potential	Bioaccumulative potential Not established.			
Alcohol (64-17-5)				
Bioaccumulative potential	Not established.			

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under

pressure. Do not drill or burn even after use.

Additional information : Flammable vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1950	1950	1950	1950	1950
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descri	ption			
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1			
14.3. Transport hazard	class(es)			
2.1	2.1	2.1	2.1	2.1
2	2	2	2	2
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

19/05/2015 EN (English) 6/9

Safety Data Sheet

according to Regulation (EC) No. 453/2010

ADR	IMDG	IATA	ADN	RID
14.5. Environmental ha	azards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP02 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR): MP9Transport category (ADR): 2Special provisions for carriage - Packages: V14

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV9, CV12

Special provisions for carriage - Operation

(ADR)

: S2

Tunnel restriction code (ADR) : D

- Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : SP277

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP02

Special packing provisions (IMDG) : PP87, L2

EmS-No. (Fire) : F-D

EmS-No. (Spillage) : S-U

Stowage category (IMDG) : None

Stowage and segregation (IMDG)

: Protected from sources of heat For AEROSOLS with a maximum capacity of 1 litre: Category

A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4. For AEROSOLS

A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4. For AEROSOLS with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the

appropriate sub-division of class 2.

- Air transport

PCA Excepted quantities (IATA) : E0 PCA Limited quantities (IATA) : Y203 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 203 PCA max net quantity (IATA) : 75kg CAO packing instructions (IATA) : 203 CAO max net quantity (IATA) : 150kg Special provisions (IATA) : A145, A167 ERG code (IATA) : 10L

- Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 19, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1
Carriage prohibited (ADN) : No

19/05/2015 EN (English) 7/9

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Not subject to ADN : No

- Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP02 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
Special provisions for carriage – Packages : W14

(RID)

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW9, CW12

Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 23
Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

Acute toxicity (oral) Category 4

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-phrases:

Acute Toy 4 (Oral)

Aerosol 1 Aquatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 3 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Repr. 2 Reproductive toxicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H222 Extremely flammable aerosol H225 Highly flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness	Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 3 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Repr. 2 Reproductive toxicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H222 Extremely flammable aerosol H225 Highly flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation	Aerosol 1	Aerosol, Category 1
Eye Irrit. 2 Flam. Liq. 2 Flam. Liq. 2 Repr. 2 Reproductive toxicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 STOT SE 3 H222 Highly flammable liquid and vapour H229 Pressurised container: May burst if heated H302 H315 Causes skin irritation May cause an allergic skin reaction Flammable acrosol H319 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 2 Reproductive toxicity, Category 2 Skin Corrosion/irritation, Category 2 Skin Corrosion/irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, category 2 Skin Sens. 1 Sensitisation — Skin, category 2 Sensitisation — Skin, category 2 Skin Sens. 1 Sensitisation, Category 2 Sensitisation, Category 2 Skin Sens. 1 Sensitisation, Category 2 Sensitisation, Category 2 Sens	Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Flam. Liq. 2 Repr. 2 Reproductive toxicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H222 Extremely flammable aerosol H225 Highly flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation	Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Repr. 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H222 Extremely flammable aerosol H225 Highly flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation	Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Sensitisation — Skin, category 1STOT SE 3Specific target organ toxicity — Single exposure, Category 3, NarcosisH222Extremely flammable aerosolH225Highly flammable liquid and vapourH229Pressurised container: May burst if heatedH302Harmful if swallowedH315Causes skin irritationH317May cause an allergic skin reactionH319Causes serious eye irritation	Flam. Liq. 2	Flammable liquids, Category 2
Skin Sens. 1 Sensitisation — Skin, category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H222 Extremely flammable aerosol H225 Highly flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation	Repr. 2	Reproductive toxicity, Category 2
STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis Extremely flammable aerosol H225 Highly flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation	Skin Irrit. 2	Skin corrosion/irritation, Category 2
H222 Extremely flammable aerosol H225 Highly flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation	Skin Sens. 1	Sensitisation — Skin, category 1
H225 Highly flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation	STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H229 Pressurised container: May burst if heated H302 Harmful if swallowed H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation	H222	Extremely flammable aerosol
H302 Harmful if swallowed H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation	H225	Highly flammable liquid and vapour
H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation	H229	Pressurised container: May burst if heated
H317 May cause an allergic skin reaction H319 Causes serious eye irritation	H302	Harmful if swallowed
H319 Causes serious eye irritation	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
H336 May cause drowsiness or dizziness	H319	Causes serious eye irritation
	H336	May cause drowsiness or dizziness

19/05/2015 EN (English) 8/9

Safety Data Sheet

according to Regulation (EC) No. 453/2010

H361f	Suspected of damaging fertility
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

SDS EU ANNEX II NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

19/05/2015 EN (English) 9/9