



SCRUBBER DRYER 20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Revision date: 09/03/2021 Version: 10.4

Generated : 26/10/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : SCRUBBER DRYER 20
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Industrial/Professional use spec : For professional use only
Use of the substance/mixture : Floor cleaner

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CHESPACK
CROWS NEST BUSINESS CENTRE
TATTENHALL ROAD
TATTENHALL
CHESTER
CH3 9BD
UNITED KINGDOM
Tel: 01829 773015 Fax: 01829 773031 Email: sales@chespack.com

1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01829 773015

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1A H314
Serious eye damage/eye irritation, Category 1 H318
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger
Contains : sodium hydroxide; caustic soda
Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

SCRUBBER DRYER 20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.
P280 - Wear eye protection, protective gloves.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P315 - Get immediate medical advice/attention.
P405 - Store locked up.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---------|--|
| Butoxydiglycol substance with national workplace exposure limit(s) (IE, GB) | (CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-no) 01-2119475104-44 | 1 – 5 | Eye Irrit. 2, H319 |
| Alcohol Alkoxyolate | (CAS-No.) 166736-08-9 (REACH-no) Exempt/Polymer | 1 – 5 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| sodium hydroxide; caustic soda substance with national workplace exposure limit(s) (IE, GB) | (CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27 | 1 – 5 | Skin Corr. 1A, H314 |
| 2-Ethylhexanol, ethoxylated | (CAS-No.) 26468-86-0 (EC-No.) 607-943-2 (REACH-no) Exempt/Polymer | 1 – 5 | Eye Dam. 1, H318 |
| N,N-dimethyldecylamine N-oxide | (CAS-No.) 2605-79-0 (EC-No.) 220-020-5 (REACH-no) 01-2119959297-22 | 0.1 – 1 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|--------------------------------|---|---|
| Alcohol Alkoxyolate | (CAS-No.) 166736-08-9 (REACH-no) Exempt/Polymer | (1 <C ≤ 10) Eye Irrit. 2, H319 (10 <C < 100) Eye Dam. 1, H318 |
| sodium hydroxide; caustic soda | (CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27 | (0.5 ≤C < 2) Skin Irrit. 2, H315 (0.5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

SCRUBBER DRYER 20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. |
| First-aid measures after ingestion | : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|-------------------------------------|
| Symptoms/effects after inhalation | : May cause respiratory irritation. |
| Symptoms/effects after skin contact | : Burns. |
| Symptoms/effects after eye contact | : Causes serious eye damage. |
| Symptoms/effects after ingestion | : Burns. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Corrosive vapours.

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| For containment | : Collect spillage. |
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. |

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|---|
| Precautions for safe handling | : Avoid contact with skin and eyes. |
| Hygiene measures | : Do not eat, drink or smoke when using this product. |

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|----------------------------|--|
| Storage conditions | : Keep container closed when not in use. |
| Incompatible products | : Oxidizing agent. Strong acids. |
| Incompatible materials | : Metals. |
| Special rules on packaging | : Keep only in original container. |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Butoxydiglycol (112-34-5) | |
|--|---------------------------|
| Ireland - Occupational Exposure Limits | |
| Local name | 2-(2-Butoxyethoxy)ethanol |
| OEL TWA [1] | 67.5 mg/m ³ |
| OEL TWA [2] | 10 ppm |
| OEL STEL | 101.2 mg/m ³ |
| OEL STEL [ppm] | 15 ppm |
| Notes (IE) | IOELV |
| United Kingdom - Occupational Exposure Limits | |
| Local name | 2-(2-Butoxyethoxy)ethanol |
| WEL TWA (OEL TWA) [1] | 67.5 mg/m ³ |
| WEL TWA (OEL TWA) [2] | 10 ppm |
| WEL STEL (OEL STEL) | 101.2 mg/m ³ |
| WEL STEL (OEL STEL) [ppm] | 15 ppm |

| sodium hydroxide; caustic soda (1310-73-2) | |
|--|---------------------|
| Ireland - Occupational Exposure Limits | |
| Local name | Sodium hydroxide |
| OEL STEL | 2 mg/m ³ |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Sodium hydroxide |
| WEL STEL (OEL STEL) | 2 mg/m ³ |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. EN 166

8.2.2.2. Skin protection

Skin and body protection:

Not required for normal conditions of use

Hand protection:

Nitrile rubber gloves. Chemical resistant gloves (according to European standard EN 374 or equivalent)

Other skin protection

Materials for protective clothing:

Not required for normal conditions of use

8.2.2.3. Respiratory protection

Respiratory protection:

Not required for normal conditions of use

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|---------------------|
| Physical state | : Liquid |
| Appearance | : Liquid. |
| Colour | : Blue. |
| Odour | : characteristic. |
| Odour threshold | : No data available |
| pH | : 13 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---|---------------------|
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : 1.07 |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

| | |
|-----------------------------------|--|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : Causes severe skin burns. pH: 13 |
| Serious eye damage/irritation | : Causes serious eye damage. pH: 13 |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

SCRUBBER DRYER 20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Butoxydiglycol (112-34-5)

| | |
|------------------------------------|-----------------------|
| LC50 - Fish [1] | 1300 mg/l |
| EC50 - Other aquatic organisms [1] | > 1000 mg/l waterflea |
| EC50 - Other aquatic organisms [2] | > 100 mg/l |

Alcohol Alkoxylate (166736-08-9)

| | |
|----------------------------|---------------|
| LC50 - Fish [1] | 10 – 100 mg/l |
| EC50 - Crustacea [1] | 10 – 100 mg/l |
| ErC50 other aquatic plants | 10 – 100 mg/l |

sodium hydroxide; caustic soda (1310-73-2)

| | |
|------------------------------------|---------------------|
| LC50 - Fish [1] | > 35 mg/l |
| EC50 - Other aquatic organisms [1] | > 33 mg/l waterflea |

2-Ethylhexanol, ethoxylated (26468-86-0)

| | |
|------------------------------------|--------------------|
| LC50 - Fish [1] | 13 mg/l |
| EC50 - Other aquatic organisms [1] | 6.5 mg/l waterflea |
| EC50 - Other aquatic organisms [2] | 6.6 mg/l |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Butoxydiglycol (112-34-5)

| | |
|---|------|
| Partition coefficient n-octanol/water (Log Pow) | 0.56 |
|---|------|

sodium hydroxide; caustic soda (1310-73-2)

| | |
|---|-------|
| Partition coefficient n-octanol/water (Log Pow) | -3.88 |
|---|-------|

N,N-dimethyldecylamine N-oxide (2605-79-0)

| | |
|---|------|
| Partition coefficient n-octanol/water (Log Pow) | 3.69 |
|---|------|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SCRUBBER DRYER 20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

14.1 UN number

UN-No. (ADR) : UN 1760
UN-No. (IMDG) : UN 1760
UN-No. (IATA) : UN 1760

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IMDG) : CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IATA) : Corrosive liquid, n.o.s.
Transport document description (ADR) : UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III, (E)
Transport document description (IMDG) : UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III
Transport document description (IATA) : UN 1760 Corrosive liquid, n.o.s., 8, III

14.3. Transport hazard class(es)


ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Danger labels (IATA) : 8



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III

SCRUBBER DRYER 20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830


14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C9
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions (ADR) : TP1, TP28
Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80
Orange plates :



Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

Transport by sea

Special provisions (IMDG) : 223, 274
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP1, TP28
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y841
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 852
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 856
CAO max net quantity (IATA) : 60L
Special provisions (IATA) : A3
ERG code (IATA) : 8L

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

SCRUBBER DRYER 20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents:

| Component | % |
|------------------------|-------|
| non-ionic surfactants | 5-15% |
| amphoteric surfactants | <5% |

15.1.2. National regulations

United Kingdom

British National Regulations

: Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.
Detergent Regulation (648/2004/EC).

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

| | |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| | | |
|---------------|------|-----------------------|
| Skin Corr. 1A | H314 | On basis of test data |
| Eye Dam. 1 | H318 | On basis of test data |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.